



## सेन्ट्रल बैंक ऑफ़ इंडिया, क्षेत्रीय कार्यालय अमृतसर

### Central Bank of India, Regional Office, Amritsar

**INVITES Tender for Interior, Furnishing, Electrical & allied works & Data Cabling works in Central Bank of India B/o AJAS at District Bandipora, Tehsil Ajas. Pincode 193502 (Jammu & Kashmir)**

**Last date of Tender Submission: 3:30 PM of 21.12.2024**

**Date of opening of Technical Bid : 23.12.2024 4.00PM or any subsequent date under advice to the tenderers and no separate information for opening of technical bids will be given to bidders unless or otherwise any subsequent date is decided by the bank.**

**Date of opening of Price bid : Technically qualified bidders will be informed in writing or over phone in advance.**

**Tender to be submitted in one big envelope which shall have two separate envelopes of technical & price bid separately:**

**Envelope 1 = Technical Bid comprising Tender document + Documents conforming to Eligibility Criteria + EMD (DD) + Tender Fees (DD) or for exemption of tender/EMD fee submission of relevant exemption government certificate is mandatory otherwise EMD and tender fee is be submit compulsory**

**Envelope 2 = Price Bid**

**Both the above sealed envelopes are to be kept in one large sealed envelope. For any enquiry/grievances – email id: [gadamriro@centralbank.co.in](mailto:gadamriro@centralbank.co.in), [drmamriro@centralbank.co.in](mailto:drmamriro@centralbank.co.in) Contact Details of Independent**

**If bidders/tenderers are not satisfied with Bank's response then they may escalate their grievances to Our Banks's Independent External Monitors(IEM).**

**External Monitor (IEM) –**

**Mr. Anant Kumar,**

**Email: [anant\\_in@yahoo.co.in](mailto:anant_in@yahoo.co.in)**

**Mr. Nirmal Anand Joseph Deva**

**Email: [meghanadeva2022@gmail.com](mailto:meghanadeva2022@gmail.com)**

However, First point of contact should be Bank and IEMs should be contacted later only if tenderer has some issue in tendering process and not satisfied with Bank's response  
Tender for Interior, Furnishing, Electrical & allied works & Data Cabling works in Central Bank of India B/o AJAS at District Bandipora, Tehsil Ajas and Pin code. 193502 (Jammu & Kashmir)

Name of the Tenderer: .....

Address: .....

.....

Email:

Mob:

Last Date of submission: 21.12.2024 3.30PM

Regional Head  
Central Bank of India,  
Regional Office, Amritsar

## APPENDIX TO GENERAL CONDITIONS OF CONTRACT

- a) Tender Fee(non-refundable) : **Rs. 2000/- (two thousand Only)** in the form of DD in favor of Central Bank of India payable at Amritsar to be submitted with Bid. (Exemption: Submission of valid Micro and Small Enterprises (MSEs) certificate as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department).
- b) Earnest Money Deposit (EMD): **Rs. 20,000/- (Twenty thousand only)** in the form of DD in favor of Central Bank of India payable at Amritsar to be submitted with Bid.
- The EMD of bidder to whom work will be entrusted and after due fulfillment of the Contract period or the period it is extended to will be refunded on completion and certification of the work. This will be forfeited in case of noncompliance of the terms & conditions of the contract. This amount will not bear any interest. The EMD of unsuccessful bidders shall be returned once tendering process is completed. (Exemption: Submission of valid Micro and Small Enterprises (MSEs) certificate as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department).
- c) Date of commencement : From the date of the work order and handing over of site.
- d) Date of Completion : 30 days from date of commencement.
- e) Stages of payment : progressive on the basis of work done. (Min bill amount should be Rs.3 lakhs)
- f) Retention Amount : 10% of the value of actual verified work done successive R.A bill. Subject to 5% final retention amount to be kept with bank till end of successful complementation of DLP.

### **Signature of Contractor**

Tender for Interior, Furnishing, Electrical & allied works& Data Cabling works in Central Bank of India B/o B/o AJAS at District Bandipora, Tehsil Ajas. Pin code 193502 (Jammu & Kashmir)

## INDEX

No.	DESCRIPTION	PAGE NO.
1	NOTICE INVITING TENDER	05-06
2.	FORM OF TENDER	07
3.	ELIGIBILITY CRITERIA	08
4.	EVALUATION CRITERIA	09
5.	INSTRUCTIONS TO TENDERERS (ANNEXURE-I)	10-14
6.	FORMS & PROFORMAS	15-18
7.	List of approved make of acceptable materials	19-26
8.	PRICE BID- SEPARATE SHEETS	

## NOTICE INVITING TENDER

RO: BSD: ASR: 2024-25:

Dated:-06.12.2024

Dear Sir / Madam,

**Reg : Tender for Interior, Furnishing, Electrical & allied works & Data cabling works in Central Bank of India B/o AJAS at District Bandipora, Tehsil Ajas. Pin code 193502 (Jammu & Kashmir)**

Please note the following:

1. Central Bank of India, invites you to tender for the aforesaid work.
2. Tender Documents can be collected from Business Support Department, Central Bank of India, Regional Office-Amritsar, S.C.O 57 4<sup>th</sup> Floor, District Shopping Complex, B Block, Ranjit Avenue Amritsar 143001 or can be downloaded from the link :

**<http://www.centralbankofindia.co.in/en/active-tender>**

The sealed Tender in the prescribed tender form in one envelope comprising PART -1 (Technical Bid = This Tender document + Documents conforming to Eligibility criteria + EMD + Tender Fees) & PART-2 (PRICE BID) should be submitted to CM-BSD, Central Bank of India, Regional Office-Amritsar, S.C.O 57 4<sup>th</sup> Floor, District Shopping Complex, B Block, Ranjit Avenue Amritsar 143001 super scribed **“INTERIOR, FURNISHING, ELECTRICAL & DATA CABLING WORKS”** in Central Bank of India B/o **AJAS at District Bandipora, Tehsil Ajas. Pin code 193502 (Jammu & Kashmir)**.

3. The Tender documents are to be submitted in a single sealed envelope comprising of two small envelopes having Technical bid and price bid. Vendors confirming to eligibility criteria mentioned in this tender document shall apply for the tender. Any question/doubts related to tender document may be clarified with Bank over phone on 9547600991 (10am to 5pm). The bids shall not include any conditions whatsoever. Only unconditional tenders will be accepted. Any conditional tender will be liable for rejection. Any bidder desirous of imposing any condition having financial implication should read the tender appropriately and should not put any condition in the tender.
4. The envelope should be submitted to the above office on and before 3:30 PM of 21.12.2024. The Technical Bid of tender will be opened on 23.12.2024 at 4:00pm or any subsequent date under advice to the tenderers at above mentioned address in presence of tenderers or their authorized representatives who choose to be present. Date of Opening of Price Bids will be informed in advance to technically qualified bidders.
5. Tenders received late on account of any reason whatsoever shall not be entertained.
6. The Defect Liability Period of the said work shall be for 1 year from the date of work completion and handing over of site by contractor duly accepted by Bank.
7. Validity of the Tender shall be 120 days after the deadline for submission of bids prescribed by Bank.
8. The Employer does not bind himself to accept the lowest or any tender and reserves the right to accept or reject any or all tenders, either in whole or in part, without assigning any reason for doing so.

9. Any addendum/corrigendum thus issued shall be part of the Tender Documents and shall also be posted only on the Bank's website. Therefore applicants are requested to frequently visit the Bank's website regarding modifications / corrigendum issued.
10. For any further information on the tender, Central Bank of India, Business Support Department, and Regional Office-Amritsar may be contacted.

**Regional Head  
Central Bank of India,  
Regional Office-Amritsar**

## FORM OF TENDER

Regional Head  
Central Bank of India,  
**Regional Office-Amritsar**

**Reg: Tender for Interior, Furnishing, and Electrical & Data cabling works in Central Bank of India B/o AJAS at District Bandipora, Tehsil Ajas. Pin code 193502 (Jammu & Kashmir).**

Dear Sir / Madam,

1. Having examined the requirement and scope of work, having visited the site and having satisfied ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted, for the said scope of work.
2. I/We shall execute works at my/our tendered rates together with any variations in quantities approved by the Employer.
3. In the event of this tender being accepted, I/We agree to enter into and execute the necessary contract agreement required by you. I/We agree not to employ Sub-Contractors other than those that may be approved by you.
4. I/We agree to pay and bear Income-tax, VAT, Works Contract Tax, Labour Welfare Fund Charges, Octroi duties and all other taxes etc. as prevailing from time to time on such items for which such taxes and charges are levied by the appropriate authorities. The rates shall be quoted in all inclusive except GST.
5. I /We understand that you are not bound to accept the lowest offer or bound to assign any reasons for rejecting our tender.
6. I /We agree to keep our offer open for 120 days after the deadline for submission of bids prescribed by Bank.

Thanking you,

Signature of Tenderer with Seal & Address

Date:

## **ELIGIBILITY CRITERIA**

### **1. ELIGIBILITY CRITERIA FOR APPLYING TO TENDER**

Only those contractors who have worked for reputed organizations and have executed similar type of works can furnish documentary evidence of complying with the following criteria, shall apply:

- 1.1. The tenderer should possess Permanent Account Number (PAN), Tax Deduction Account Number (TAN) and GST number issued by the relevant tax department of Govt. of India.
- 1.2. Should have an average annual financial turnover of Rs.10 Lakhs or above during last five financial years ending 31.04.2024. This should be duly audited and certified by Chartered Accountant, if required as per norms. These should be supported by audit statements or tax returns.
- 1.3. The applicant should submit documentary evidence in support of minimum experience of 5 years. The applicant should have satisfactorily completed “similar” i.e. Interior, Furnishing, Electrical, Data cabling works of offices / Bank branches etc. of magnitude as specified below during the last 5 years ending 31.04.2024. (Proforma-1). This should be certified by Competent Officer of the Organization under whose supervision the work/ project has been done.

- (i) One similar completed work costing not less than Rs. 7,85,000/- (Seven Lakhs eighty five thousand only) during the last 5 years ending 31.03.2024. (It is mandatory to attach work order / completion certificates or any other relevant document duly signed/attested by competent authority of employer as a proof of execution of above work to be accepted at sole discretion of Bank).

OR

- (ii) Two similar completed work each costing not less than Rs.5,89,000/- (Five Lakhs eighty nine Thousand only) during the last 5 years ending 31.03.2024. (It is mandatory to attach work order / completion certificates or any other relevant document duly signed/attested by competent authority of employer as a proof of execution of above work to be accepted at sole discretion of Bank).

OR

- (iii) Three similar completed work each costing not less Rs.3,93,000/- (Three Lakhs ninety three thousand only) during the last 5 years ending 31.03.2024. (It is mandatory to attach work order / completion certificates or any other relevant document duly signed/attested by competent authority of employer as a proof of execution of above work to be accepted at sole discretion of Bank).

Notes:

1. The above said works should have been completed by the contractor as Principle contractor (and not as subcontractor) in Central / State Govt. / Autonomous Body / PSU / Bank / Financial Institutions / Educational institutes/Private Organization etc.
2. Similar Works means: Interior, Furnishing, Electrical and allied, Data Cabling etc. works.
3. All documents should be duly signed by the contractor taking the responsibility of the same.
4. The applicant should not have been disqualified / debarred / terminated on account of poor or unsatisfactory performance / blacklisted from any of the public sector banks / public sector organizations / government / semi-government organizations including any of the offices / branch of Central Bank of India during last 5 years as on the date of publication of this tender notice.

Only such contractors who fulfill the aforesaid eligibility criteria need to apply

**2. EVALUATION CRITERIA:**

For the purpose of Tender, the short listed eligible applicants will be evaluated in the following manner:

Tenders without EMD & Tender Fees (unless otherwise exempted) shall be out-rightly rejected and shall not be evaluated for Technical eligibility.

2.1. The initial eligibility criteria prescribed above (in respect of experience of similar class of works completed) shall first be scrutinized and the applicant's eligibility for Tender for the work is determined.

2.2. Only the applicants who meet the eligibility criteria specified as above will be evaluated on the basis of details and documents furnished by them.

2.3. If necessary, the authorized representatives of Bank will visit all / few projects / sites which are recently executed / being executed by the applicants, in order to evaluate the performance of the applicants.

On the basis of the eligibility criteria mentioned above and after the evaluation of the applicants based on the site visit report, if any, credentials submitted by the applicants, confidential reports obtained from various clientele (wherever necessary), Tender Bid Part-II (Price Bid) of only Technically qualified Contractors shall be opened on the date which will be informed in due course.

## **ANNEXURE-I**

### **INSTRUCTIONS TO TENDERERS**

#### **A. LOCATION:**

The site is located at Central Bank of India B/o AJAS at District Bandipora, Tehsil Ajas. Pin code 193502 (Jammu & Kashmir).

Tenderers must get acquainted with scope of work (as per BoQ), conditions of contract and other conditions carefully before tendering. No request for any change in rates or conditions for want of information on anything whatsoever in these Tender documents shall be entertained after receipt of tenders.

The tenderers are advised to inspect the site to ascertain the nature of site, works, access there to, location for execution of the work. The tenderers must examine and inspect the site of the work and acquaint themselves with all local laws, regulations and practices and should apply for the Tender accordingly.

#### **B. SUBMISSION OF TENDER:**

1. Tender must be submitted in original and as per details given hereunder. The rates shall be filled in the Price Bid given in the Tender Document.
2. The Tender comprising two separate sealed envelopes comprising Technical & Price bids respectively are to be kept in a large single sealed envelope.
3. Any conditions/stipulations mentioned in the tender may not be taken into consideration for evaluation of the tenders.
4. Tenderers are requested to quote strictly as per the terms and conditions, specifications, standards given in the tender document and not to stipulate any deviations.
5. Addenda to this tender document, if issued by Bank, must be signed and submitted along with the tender document.
6. All pages of this document are to be signed by the bidder in token of his acceptance of the conditions thereof. All pages of tender documents shall be signed at the lower right hand corner or signed wherever required in the tender documents by the tenderer or by a person holding power of attorney authorizing him to sign on behalf of the tenderer before submission of tender.
7. Rates to be quoted in figures. The Tenderer should quote in English in figures in such a way that interpolation is not possible. The final total tender amount shall be quoted in figures and words. The tendered amount for the work shall be entered in the tender and duly signed by the Tenderer.
8. Corrections and Erasures:

All corrections and alterations in the entries of tender papers should be signed and dated in full by the Tenderer. Corrections to be made with white fluid and over writings are not permitted.

9. The tender shall contain the names, residence and place of business of person or persons submitting and signing the tender and shall be signed by the Tenderer with his usual signature. Partnership firms shall furnish the full names of all partners in the tender. It should be signed in the name of the partnership by all the partners or by duly authorized representative/s followed by the name and designation of the person/s signing. Tender by a Company or Corporation shall be signed by an authorized representative, and a power of Attorney on their behalf shall accompany the tender in Envelope. A copy of the partnership deed of the firm with names of all partners shall be furnished.
10. In quoting rates, the tenderers are advised to take into account all factors including any fluctuations in market rates. No claim for enhanced rates will be entertained on this account after acceptance of the tender or during the currency of the contract.
11. The rate to be quoted by the tenderer shall be firm and shall cover and include cost of all materials required for upkeep of the premises, wages to the laborers, supervisors, equipment deployed, contractors profit, transportation charges and all statutory levies, taxes such as "Octroi, sales tax, VAT, excise duty, PF, ESI but excluding GST.
12. The tenderer shall note that no claim for enhancement of rates/cost escalation, on the ground that cost of materials, labor has increased; existing statutory levies have been increased, after tender, or in any other ground, will be entertained on any account.
13. Before tendering, the tenderers are advised to inspect the site of work and its environments and be well acquainted with the actual working and other prevailing conditions. The tenderer should specifically note that it is tenderers responsibility to provide all items which are not specifically mentioned in the scope of works, but which are necessary to complete the subject services.
14. The bank will not be bound to accept the lowest tender and reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever.
15. The contractor has to maintain an attendance register of the persons employed and the same will be inspected daily by the Bank's Officer-in charge.
16. If any of the labour employed by the contractor is found to be under performing or any misbehavior is found / reported while on duty, Bank reserves the right to ask for a suitable substitute.
17. No alterations or additions are to be made by the Contractors to the tender document. Violation of this instruction will attract rejection of the tender at the discretion of the Bank. All the works shall be executed strictly as per Tender specifications. The furniture's should be made at site with raw materials like wooden boards, laminates, etc. duly inspected and approved by Bank's Officer-in-Charge/ Engineer. All other works which will get hidden / concealed or otherwise should be first got inspected by Bank before execution.
18. Witness:  
Witness and sureties shall be persons of status and propriety and their names, occupation and address shall be stated below their signatures.
19. SCOPE OF WORK:  
The contractor selected for execution of the work shall be conversant with all codes of practice, rules of local authorities and procedures for obtaining approvals from any authority or as the case may be.

The work shall include the following items of work broadly:

The works shall include renovation of branch / office premises having civil, furniture, electrical & allied & Data networking works or any other similar work. The work shall be executed as per the directions of Engineer-in-Charge as per the Bank's requirement and tender specifications. Works not covered in the specifications shall be carried out as per relevant Indian Standards Code of Practice and specifications of materials with prior approval of Bank.

20. TENDERER SHALL VISIT THE SITE

The intending tenderer shall visit the site and make themselves thoroughly acquainted with work to be executed, local site condition, nature and requirements of the works, facilities of transport condition, effective labor and materials, access and storage for materials. The successful tenderer will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before & after the commencement of the work or which in the opinion of the Employer/Architects might be deemed to have reasonably been inferred to be so existing before commencement of work.

21. Any printing or typographical errors / omissions in tender document shall be referred to the Employer and his interpretation regarding correction shall be final and binding on Contractor.

22. TRANSFER OF TENDER DOCUMENTS:

Transfer of tender document purchased by one intending Tenderer to another is not permitted

23. RETENTION DEPOSIT: 10% of the value of actual verified work done. (To be deducted from each bill).

24. RELEASE OF RETENTION DEPOSIT: After 1 year from the date of completion of work including testing and handing over the site by contractor duly accepted by Bank provided attending to the work defects by contractor arising in this 1 year upto the Bank's satisfaction. Necessary deduction from retention money shall be made from the expenses done by Bank in rectification of defects, if not attended by contractor.

25. Defect Liability Period: 1 year from the date of completion of work including testing and handing over of site by contractor duly accepted by Bank. DLP includes all the works executed by Contractor at the branch office of whatsoever nature.

26. VALIDITY:

Tenders shall remain valid for 120 days after the deadline for submission of bids prescribed. In exceptional / unavoidable circumstances, Bank may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (or by email). The EMD shall also be suitably extended. A Bidder may refuse the request without forfeiting its EMD. A Bidder granting the request will not be required nor permitted to modify its tender.

27. RIGHT TO ACCEPT OR REJECT TENDER:

The acceptance of a tender will rest with the Employer who does not bind himself to accept lowest tender and reserve to themselves the authority to reject any or all the tenders received. They also reserve the right of accepting the whole or any part of the tender and the Tenderers shall be bound to perform the same at the rates quoted. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or there is any correction not duly signed and dated by the Tenderer are liable to be rejected. The job may be awarded to one or more agencies by dividing the work at the entire discretion of the Employer. The quoted rates shall hold good for such eventuality.

28. **TIME SCHEDULE:**  
The said work shall be completed in 30 days from the date of award of work order and site handover.
29. **LIQUIDATED DAMAGES FOR DELAYED COMPLETION:**  
If the contractor fails to complete the work by the scheduled date of completion or within any sanctioned extended time, he will have to pay 0.5% of the accepted tender amount per week as liquidated damages for each week beyond the scheduled date of completion or the extended period of completion for works remaining incomplete. The above penalty shall be imposed for period of delay attributable to Contractor for the entire scope of work assigned to them for project completion. The decision of Bank in this regard shall be final & binding. The maximum liquidated damages recoverable shall be 5% of accepted tender amount.
30. **WATER AND ELECTRICITY:**  
Electricity and water for execution of work shall be arranged by the Bank.
31. **SIGNING OF THE CONTRACT:**  
The successful Tenderer shall be required to execute an agreement in the pro-forma approved and provided by Bank within 7 days from the date of receipt of the notice of acceptance of tender or letter of intent. On acceptance of the tender, the name of the accredited representatives of the Contractor, who would be responsible for taking instructions from the Employer as the case may be, shall be communicated to the Employer.
32. Bank is not concerned with any rise or fall in the prices of any materials or Labour. The rates quoted shall include charges including any enhanced Labour rates etc. which may be enacted from time to time by the State and/or the Central Government and shall remain valid till Completion of the work. Under no circumstances shall bank be held responsible for compensation or loss to the contractor due to any increase in the cost of Labour or material etc. No Price Variation Adjustments shall be admissible.
33. Permission/ approval if so required from any civic, local, government, municipal, competent authorities shall be the entire responsibility/scope of the contractor and Bank shall not make any payment in this regard which may be noted.
34. The said premises in which awarded work is to be executed may have functional Bank's office/branch etc. As such said works are to be done causing minimum disturbance to the office and Bank staff. Contractor to take up the said works strictly as per Bank's instructions & priority failing which Bank may take appropriate action including imposing penalty / cancellation of order.
35. Extra item is to be executed only after obtaining rate approval from Bank by submitting rate analysis based on the latest available DSR or deduced from similar item rate in tender or if the rate is not derivable as above than it should be based on prevailing market rates to be accepted by Bank.
36. No compensation whatsoever of any type at any stage shall be done to Contractor for any avoidable / unavoidable conditions in start / during execution / completion of work.
37. EMD of only successful bidder will be kept for the period of work completion, testing and its verification. It will be released along with Final Bill. Retention Deposit shall be kept with Bank upto DLP provided conditions at point no. 24 above are fulfilled.
38. **Forfeiting of EMD:**  
(a) if a Bidder (i) withdraws its tender during the period of tender validity; or (ii) does not accept the correction of arithmetic errors; or

(b) in case of a successful Bidder, if the Bidder fails : (i) to sign the Contract; or (ii) to furnish security deposit.

39. Terms & Conditions not specifically mentioned here shall be governed by latest available CPWD-GCC.
40. Details of civil suits or any other litigation, if any that arouse during execution of the contract / work in last 5 years. Based on the details submitted herein, it will be sole discretion of Bank to consider or not consider the tenderer. – Performa 2.
41. Central Bank of India will not be held responsible for the tender documents sent through post / courier but not received in our office by the scheduled date and time. Their offers will not be considered on any account even if the tender documents were dispatched by the tenderers before the due date. The cost of post /courier will be borne by the intending tenderers.
42. For abnormally low bids (i.e. quoted amount less than Project estimate by 25%), the selected contractor shall have to submit additional performance guarantee of amount equal to 8% of the tendered cost for the entire period of project completion + 60 days. The project estimate shall be as per Bank's record. Decision of Bank in this regard shall be final and binding.

**Signature of the applicant**

**DETAILS OF REGISTRATION**

Sr.	Name of organization / department	Registration No.	Date / year of registration	Enclosed proof	
				Y	N
1.	Registrar of firms and societies				
2.	Income tax department (mention PAN no. with copy of latest income tax clearance certificate)				
3	GST registration				
4.	Details of EPF account and registration				

**FINANCIAL STATUS**

Sr.	Financial year	Turnover of the firm (in ₹ lacs)	Profit / loss (in ₹ lacs)	Enclosed certified copies of audited balance sheets / chartered accountant's certificate.	
				Yes	No
1	2019 - 2020				
2	2020 - 2021				
3	2021 - 2022				
4	2022 - 2023				
5	2023 - 2024				

Furnish copies of audited Balance Sheet and Profit & loss account (audited, as applicable) for the last five year.

**PROFORMA -1**

**PARTICULARS IN RESPECT OF WORK EXECUTED**

Sr. No	Name of the work/ project executed with address	Short description of work executed	Name and address of owner	Value of work executed	Stipulated time of completion	Date of commencement	Date of completion	Any other relevant information
1								
2								
3								
4								

Signature of the Applicant

Note : The contractor shall mention only those works executed during last 5 years which fulfills the eligibility criteria on this page. The list is to be substantiated with the documentary evidence such as work order and completion certificates and/or other relevant documents to be accepted at sole discretion of Bank in absence of which the application is liable to be rejected.

**PROFORMA -2**

**PARTICULARS OF CIVIL SUITS OR ANY OTHER LITIGATION, IF ANY IN LAST 5 YEARS**

Sr. No .	Name of the work/ project executed with address	Short description of work executed	Name and address of employer/owner	Date of Work order	Date of Completion of Work	Value of Work Executed	Relevant information regarding civil suits with its present stage.
1							
2							
3							

**Signature of the Applicant**

Use separate sheet, if required.

## LIST OF APPROVED MAKE OF ACCEPTABLE MATERIALS

**ENTIRE MATERIAL LISTED BELOW SHOULD BE FIRST APPROVED BY THE BANK AND CONSULTANT BEFORE EXECUTING)**

<b>S. No.</b>	<b>Item</b>	<b>Specified Material</b>
1	<b>False Ceiling-</b>	
	<b>1)Gypsum Board</b>	1). 12.5mm thick Gypsum Board of Gypsum India Ltd. with sections of 26 gauge GI sheet of " <b>Gypsum India Ltd.</b> " Company or equivalent.
	<b>2)Armstrong Tiles</b>	2). Armstrong 600x600x(12-15 mm thick) perforated tiles as per " <b>Armstrong Pvt. Ltd.</b> " company's specifications or equivalent.
2	<b>Aluminum Sections</b>	16-18 Gauge anodized Aluminum tubular sections with 20 micron (black) of 50x50mm, 50x40mm for partition and 16-18 gauge anodized Aluminum sections of 40x115mm for bottom rail & top rails of doors, 40x150mm lock rail and 40x20mm plain for shutters of the sliding window. or equivalent.
		All aluminum section to be anodized in black shade and shall be of " <b>Jindal/Nalco/ Hindalco</b> or equivalent."
	<b>1.Partition</b>	
	<b>2.Door</b>	
3	<b>Aluminum Grill</b>	Aluminum grill of 8- 10 mm dia. rod with 75x75mm mesh DG 202 of " <b>Jindal/Nalco/Hindalco</b> or equivalent."
4	<b>MDF/Particle Board</b>	12 mm thick both side laminated " <b>Greenlam /Archidlam /Century</b> or equivalent." with Ivory/ Beige shade BSL, Interior grade <b>IS: 12823.</b>
5	<b>1.Plywood/ Block Board (BWP/BWR)</b>	1) Phenol bonded, water proof, plywood of all required thickness (6mm,9mm, 12mm, 19mm and 25mm) of " <b>Century, Duro, Archid</b> or equivalent." conforming

		to IS: 303, IS: 710 & IS:1659
	<b>2. Plywood/ Block Board</b>	2) MRIS: 303.
6	<b>Wood</b>	Well-seasoned teak-wood
7	<b>Moulding &amp; Lipping</b>	1 <sup>st</sup> Quality Teak Wood .
8	<b>Wood Preservative</b>	" <b>ASIAN/ NEROLAC/ BERGER/ICI/ DULUX</b> or equivalent."
9	<b>Adhesive</b>	"FEVICOL (SH)/ PIDILITE or equivalent."
10	<b>Glass</b>	<b>Plain float glass "Modi / Saint Gobain</b> or equivalent." of all thickness
11	<b>Lock/Night Latches</b>	" <b>GODREJ/ LINK/HARRISON</b> or equivalent."
12	<b>Hydraulic Door closer</b>	" <b>DORMA, GODREJ</b> or equivalent." confirming to IS:3564:1986
13	<b>Floor Spring</b> (Double action 100 kg. -150 kg)	" <b>GODREJ, DORMA</b> or equivalent." confirming to IS: 6315:1992 & IS:7197:1972
14	<b>Drawer Channel/ Slider (Telescopic)</b>	Sleek computer keyboard slide of required length mounting telescopic, steel ball slider STDS series keyboard of " <b>EARL BIHARI, EBCO, HETTICH, GODREJ</b> or equivalent.".
15	<b>Key Board Drawer/Tray</b>	Ready to use, computer keyboard tray KBT series keyboard of " <b>EARL BIHARI , EBCO, HETTICH, GODREJ</b> or equivalent.".
16	<b>Hard ware</b>	All the necessary hardware shall be of ISI marked with best quality/ and as per Bank's approval.
17	<b>Teak wood</b>	Beading and Moulding to be of first quality teak wood.

18	<b>Paint</b>	1.Acrylic paint/ Luster Paint:- <b>"ROYALE, ICI, ASIAN DULUX/NEROLAC</b> or equivalent."
	Off white, Desert White, Cream	2.Oil bound distemper:- <b>"ROYALE, ICI, ASIAN DULUX/NEROLAC</b> or equivalent."
		3. Synthetic Enamel Paint:- <b>"ROYALE, ICI, ASIAN DULUX/NEROLAC</b> or equivalent."
		4. Texture Paint:- <b>"WEATHER COAT, EXTERIOR, APEX, SNOCEM, ASIAN</b> or equivalent." Exterior Crusade 0684
19	<b>Flooring</b>	<b>1. Vitrified tiles: - 600x600x (8-10 mm thick) Premium Range "NITCO/ MARBONITE/ JOHNSON</b> or equivalent."
	<b>(Off white)</b>	<b>2. Ceramic Tiles:-"NITCO/ MARBONITE / JOHNSON</b> or equivalent."
		<b>3. Vinyl Flooring:- 2mm thick "Royale, LG, ASIAN KRISHNA, ARMSTRONG</b> or equivalent."
20	<b>Roller /Venetian Blinds (Off white, Abstract Beige B/O-0002</b>	<b>"VISTA, MAC, AUROLUX</b> or equivalent."
21	<b>Chairs with fabric Red and Blue as per Bank's standardization</b>	<b>"GODREJ, METHODEX, FEATHERLITE, DURIAN, WIPRO, AMARDEEP</b> or equivalent." (High, Mid, Low back and visitors chairs)
22	<b>Visitors Seating</b>	Chrome plated Perforated seats OF ABOVE BRANDS 3seater and 2seater
23	<b>Rubber/ Polyurethane /Tapestry/Leather Foam</b>	Foam of all thickness of 40-50 density HD U- Foam of <b>"Dunlop, MM, TATA</b> or equivalent."

24	<b>Wash Basin</b>	Vitreous China, conforming to IS: 2556 " <b>Hindware /Cera /Johnson /Parryware</b> or equivalent."
25	<b>WC</b> (EWC/Orissa Pan)	Vitreous china, conforming to IS:2556 " <b>HINDWARE/CERA/JOHNSON/PARRYWARE</b> or equivalent."
26	<b>GI Pipes</b>	"C"- Class GI pipes, for all the diameters, " <b>JINDAL, BINDAL, TATA</b> or equivalent."
27	<b>Tap &amp; Flush cock</b>	CP Finish bib cock and pillar cock, flush cock. " <b>PLUMBER, JENITH, JAL, JAGUAR, MAC,BELL</b> or equivalent."
28	<b>Sink</b>	Stainless steel sink. " <b>NIRALI</b> or equivalent."
29	<b>Cement</b>	Best quality, 53 Grade (OPC)- " <b>ACC, AMBUJA, BINANI, BIRLA</b> or equivalent. confirming to IS:1489-1976
30	<b>Steel</b>	Hot rolled deformed bars confirming to IS:1139-1966 (Fe-415 HYSD) " <b>TATA, Jindal, Rathi SAIL, RINL</b> "
31	<b>Aggregates</b>	Aggregates shall comply with the requirements of IS:383-1970
32	<b>Brick Works</b>	All brick work shall confirm to IS:2212-1962
33	<b>Reinforcement Bending and Fixing Works</b>	Bending and fixing of bars for concrete works shall be as per IS:2502-2009
34	<b>RCC/PCC Works</b>	All RCC/PCC works shall confirm to IS:456-2000
35	<b>Aluminum Composite Panel</b>	"Alstone / Alucobond /Eurobond or equivalent."
36	<b>Modular Work Stations</b>	" <b>Godrej, Methodex, Wipro, Shapoorji Paloonji, Featherlite</b> or equivalent."

## **ELECTRICAL**

<b>S. N.</b>	<b>Items</b>	<b>Make</b>	<b>Code</b>
--------------	--------------	-------------	-------------

1	MCCBs, MCBs, ELCBS, RCCBs, DB, ICTPN, TP, HRC fuse, Change over switch, Switch Fuse Unit	<b>L&amp;T, Legrand, Siemens or as equivalent.</b>	IS: 8828 for MCB IS:13947 for MCCB IS:12640 for RCCB IS:13703 for HRC fuse IS:13947 for SFU
2	<b>FRLS</b> insulated Elect. Wires Sheathed/ unsheathed, Flexible LT cable, Multi core/single core Cable, Flat cable for submersible pumps	<b>Finolex, Polycab, RR or as equivalent.</b>	IS: 694 for PVC cable 1.1 KV GRADE-FRLS
3	Rotary Switches. Selector Switches	<b>L&amp;T, GE, ABB, Siemens or as equivalent.</b>	Relevant IS
4	Exhaust fan ,Pedestal fans, Ceiling fan	<b>Crompton, Orient, Usha or as equivalent.</b>	IS: 374 for ceiling fan IS: 2312 for Exhaust fan
5	Electronic Energy Meter	<b>L&amp;T,HPL, ABB or as equivalent.</b>	IS:13779/1999
6	Central Air Conditioning Plants , Package type plant ,Window/Split AC, Cassette type AC	<b>Toshiba, Daikin, Hitachi or as equivalent.</b>	*Only 3 star and above rating in Window/Split/Cassette AC

7	Electrical accessories Modular -switch, Plugs sockets, ceiling rose, Angle holder, holders	<b>Crabtree, MK, Legrand or as equivalent.</b>	IS: 3854 for switches IS: 1293 for plugs& sockets IS: 371 for ceiling rose IS: 1258 for lamp holder Bakelite
8	Bell Buzzer	<b>Anchor, Cona, Leader or as equivalent.</b>	IS:2268
9	Electronic fan regulator	<b>Crabtree, MK, Legrand or as equivalent.</b>	IS:11037
10	PVC Conduit pipe & Casing -capping for electrical wiring	<b>AKG, Setia, BEC (ISI) 2 mm thick or as equivalent.</b>	IS:9537/93
11	Current Transformer	<b>Siemens, L&amp;T, Schneider or as equivalent.</b>	IS: 2705
12	Relays	<b>Siemens, L&amp;T, ABB, BHEL, GE or as equivalent.</b>	IS: 3231/65
13	Data Cable	<b>D Link or as equivalent.</b>	(With 15 years certification)
14	Light Fittings	<b>LED – Philips/Osram or as equivalent.</b>	
15	Telephone Cable	<b>Delton, Finolex, National or as</b>	(Conductor dia – 0.61 sqmm)

		<b>equivalent.</b>	
16	Industrial Socket with box	<b>MDS Legrand – 32 amp / Hager L&amp;T or as equivalent.</b>	
17	Changeover Switches	<b>Havells – On Load (Euro Load) or as equivalent.</b>	
18	Panel Board	<b>16 swg CRCA sheet steel</b>	Fabricated and vermin proof and dust proof with necessary stiffners with indicators of Tele mechenique / L&T and Input/ Output Volt & Ampere Meter

**SPECIFICATION OF WORKMANSHIP: -**

- 1) All the exposed surfaces (that come in first sight or in direct vision) such as top/ front/ sides of counter, table etc. shall be covered with laminates/ tapes/border.
- 2) All the hidden exposed surfaces (that does not come in first sight or in direct vision) shall be finished with 0.8 mm thick laminate of Green lam/ Archidlam / Sunmica/ Formica and there shall be no putty, primer or any oil bonded synthetic enamel paint in these areas.
- 3) All the exposed edges and corners of plywood of 12mm & 18mm shall be protected by nailing wooden beads/border of required size.
- 4) All the wooden beading/batons shall be finished with high-class sprit polish in natural shade.
- 5) All the exposed edges and corners of furniture shall be comfortably and smoothly chamfered/ rounded off to avoid any sharp and pointed ends.

- 6) A good surface preparation shall be done prior to applying primer/putty/paint/polish either on walls, ceiling or on furniture.
- 7) All the finishing shall be done with due care & perfection so that final quality/look/appearance/glare/shine achieved is of the required standard and satisfaction.
- 8) All the operative units/members of items, fixed hardware/ fittings/ fixture etc. such as locks, levers, hinges, door closures, latches etc. shall be adequately smooth and well in operation/performance at the time of handing over work/site to the Bank.

Name, Signature of the Auth. Signatory, with date, company/firm's stamp